

Tel: (800) 786-6112

Fax: (866) 332-3299


www.Toolwell.com Email: info@toolwell.com

Skate: A6/B6

WEIGHT DISTRIBUTION ON FLOOR

For machine skate models A6 (JLB 6K) and B6 (JFB 6K)

Wheel Footprint



Wheel size

- ► length: 3.3" | 85mm
- ► diameter: 3.3" | 85mm


Wheel contact surface with floor

• ▶ width: 0.79" | 20mm • ► length: 3.35" | 85mm

Footprint per wheel:

• **2.65** in² | 17cm²

Skate Footprint




Footprint per skate: • > 21.20 in²

Skate Model

B6


A6



Footprint per skate: • 21.20 in²

Footprint per ft²

Maximum footprint within any 1 ft2 area



area

Footprint per ft²:

• > 10.60 in²

Variations in Footprint:

With increasing weight, the elastic JUWAthan wheel material spreads out and increases the contact area with the floor. The enlarged footprint divides the weight over a larger area so that the pressure onto the floor is drastically reduced. The footprint above is measured at maximum load capacity. (1) The size of the actual footprint and in turn the actual psi may vary based on actual load weight, temperature, load bearing duration, etc.. Therefore the data provided is an estimate to be used as a general guideline only.

Pressure per in² for concerns about indenting soft floor

Pressure per in² at maximum load capacity • ► 623 psi

Pressure per ft² for concerns about breaking through supported floor

Pressure per one ft² at maximum capacity • > 6,600 psf

MADE IN GERMANY • By JUNG