

Tel: (800) 786-6112

Fax: (866) 332-3299

www.Toolwell.com


Email: info@toolwell.com

Skate: A9/B9

## WEIGHT DISTRIBUTION ON FLOOR

For machine skate models A9 (JL 9K) and B9 (JFB 9K)

### **Wheel Footprint**



#### Wheel size

- ► length: 3.3" | 85mm • ► diameter: 3.3" | 85mm
- Wheel contact surface with floor
- ▶ width: 0.79" | 20mm
- ► length: 3.35" | 85mm

### Footprint per wheel:

• **2.65 in<sup>2</sup>** | 17.0cm<sup>2</sup>

# Skate Model **A9** Footprint per skate: ▶ 31.80 in<sup>2</sup>

**Skate Footprint** 




Footprint per skate: ▶ 31.80 in<sup>2</sup>

Skate Model

**B9** 

## Footprint per ft<sup>2</sup>

Maximum footprint within any 1 ft2 area



**Footprint** per ft<sup>2</sup>:

• > 15.90 in<sup>2</sup>

### **Variations in Footprint:**

With increasing weight, the elastic JUWAthan wheel material spreads out and increases the contact area with the floor. The enlarged footprint divides the weight over a larger area so that the pressure onto the floor is drastically reduced. The footprint above is measured at maximum load capacity. (1) The size of the actual footprint and in turn the actual psi may vary based on actual load weight, temperature, load bearing duration, etc.. Therefore the data provided is an estimate to be used as a general guideline only.

### Pressure per in<sup>2</sup> for concerns about indenting soft floor

Pressure per in<sup>2</sup> at maximum load capacity • ► 623 psi

### Pressure per ft<sup>2</sup> for concerns about breaking through supported floor

Pressure per one ft<sup>2</sup> at maximum capacity >> 9,900 psf

