

Tel: (800) 786-6112

Fax: (866) 332-3299

www.Toolwell.com Email: info@toolwell.com


Skate:

**B15** 

# WEIGHT DISTRIBUTION ON FLOOR

For machine skate models B15 (JFB 15G)

### **Wheel Footprint**



#### Wheel size

- ► length: 2.3" | 59mm
- ► diameter: 5.5" | 140mm

#### Wheel contact surface with floor

- ▶ width: 1.30" | 33mm
- ► length: 2.32" | 59mm

# Footprint per wheel:

• > 3.02 in<sup>2</sup> | 19.47cm<sup>2</sup>

## **Skate Footprint**


Skate Model **B15** 



Footprint per skate: ▶ 36.24 in<sup>2</sup>

### Footprint per ft<sup>2</sup>

Footprint within 1 ft2 area with the highest pressure



1 ft<sup>2</sup> area

**Footprint** per ft<sup>2</sup>:

• > 18.12 in<sup>2</sup>

### **Variations in Footprint:**

With increasing weight, the elastic JUWAthan wheel material spreads out and increases the contact area with the floor. The enlarged footprint divides the weight over a larger area so that the pressure onto the floor is drastically reduced. The footprint above is measured at maximum load capacity. (1) The size of the actual footprint and in turn the actual psi may vary based on actual load weight, temperature, load bearing duration, etc.. Therefore, the data provided is an estimate to be used as a general guideline only.

### Pressure per in<sup>2</sup> for concerns about indenting soft floor

Load weight (lbs) per skate Pressure (psi) = — Footprint (in<sup>2</sup>) per skate

Max pressure per in<sup>2</sup> at maximum load capacity • ► 827 psi

Pressure per ft<sup>2</sup> for concerns about breaking through supported floor

Load weight (lbs) per skate x Footprint (in<sup>2</sup>) per ft<sup>2</sup> Pressure (psf) = Footprint (in²) per skate

Pressure per one ft<sup>2</sup> at maximum capacity > 15,000 psf