


Dolly:
X14/Y14

WEIGHT DISTRIBUTION ON FLOOR

For container dolly model X14 (JTLB 14K CF) and Y14 (JFB 14K CF)

Wheel Footprint



Wheel size

- ▶ length: 1.6" | 42mm
- ▶ diameter: 3.3" | 85mm

Wheel contact surface with floor


- ▶ width: 0.79" | 20mm
- ▶ length: 1.67" | 40mm

Footprint per wheel:

- ▶ **1.32 in²** | 8.0cm²

Dolly Footprint

Dolly Model
X14




Dolly Model
Y14



Footprint per dolly: ▶ **42.40 in²**

Footprint per ft²

Maximum footprint
within any 1 ft² area



1 ft²
area

Footprint
per ft²:

- ▶ **18.18 in²**

Variations in Footprint:

With increasing weight, the elastic JUWATHAN wheel material spreads out and increases the contact area with the floor. The enlarged footprint divides the weight over a larger area so that the pressure onto the floor is drastically reduced. The footprint above is measured at maximum load capacity. Ⓢ The size of the actual footprint and in turn the actual psi may vary based on actual load weight, temperature, load bearing duration, etc.. Therefore the data provided is an estimate to be used as a general guideline only.

Pressure per in² for concerns about indenting soft floor

$$\text{Pressure (psi)} = \frac{\text{Load weight (lbs) per dolly}}{\text{Footprint (in}^2\text{) per dolly}}$$

Pressure per in² at maximum load capacity ▶ **660 psi**

Pressure per ft² for concerns about breaking through supported floor

$$\text{Pressure (psf)} = \frac{\text{Load weight (lbs) per dolly} \times \text{Footprint (in}^2\text{) per ft}^2}{\text{Footprint (in}^2\text{) per dolly}}$$

Pressure per one ft² at maximum capacity ▶ **12,006 psf**



MADE IN GERMANY • By JUNG