


Example of Load Distribution



3-point skate systems do not slip during pulling & tugging actions

» Each Model Sold Separately «
Mix & Match as Needed!

BATTERY POWERED MACHINE SKATES WITH STROKE

with non floor damaging wheels

Load Capacity:

5 tons each



Model
Stroke5

Included	One battery powered steerable skate With Lift Mechanism, remote control and battery charger.
Load Capacity Each	5 tons • 10,000 lbs
Battery Powered Pulling Capacity	30 tons • 60,000 lbs
Height (from floor to top of load pad)	7.1"
Stroke Max (from top of load pad)	1.96"
Run Time under max Load (under ideal conditions)	6-7 hours
Maximum Speed at Full Load	33 feet per minute
Dimensions (width x length)	35.4" x 29.5"
Load Wheel Dimensions (Ø x width)	5.5" x 2.3"
Supporting Surface (with anti-slip load pad)	Ø 5.9"
Weight (dolly battery)	322 194 lbs
Manufacturer • MPN	JLA-E 5/10 G WITH STROKE

JUWAtan® & JUWAmid wheels



Non floor damaging
Non floor marking

Run Time

The skate and the remote control run on rechargeable batteries. Charge time: 5-7 hours. With a full charge the skate and the remote will run under continuous use & with a full load for 5-6 hours. (Under ideal conditions meaning smooth floors etc.)

Included accessories with EP5:



Skate battery charger
110V. 7.75 Amps.



Remote control (cordless)
Lift, forward, reverse, stop, left/right (360°), speed.



Remote control charger
110V. 50/60HZ; 250mA.



MADE IN GERMANY

By JUNG



5 Year Manufacturer's Warranty

1 year on all electrical components
(damage due to overloading not covered)